

ARTICLE

Embarkation Ladder wood - 20 mtr - 61 steps - MED/SOLAS

Number: 3.01.0550

IMPA number: 232052


SPECIFICATIONS

Measurements: 20000 (l) x 600 (w) x 1400 (h) mm

Weight: 120,00 kg

Made in: Netherlands

HS Code: 56090000



DESCRIPTION

Embarkation Ladder Thetis wood - 20 mtr - 61 steps - MED/SOLAS

The Embarkation Ladder is designed for the safe transfer of personnel between ship and shore, lifeboats or rescue craft. Manufactured from high-quality FSC®-certified hardwood with heat-treated steps, the ladder offers excellent durability and grip under harsh marine conditions. The rope construction ensures flexibility and ease of handling, while the robust hardwood steps provide stable footing during embarkation and disembarkation.

The ladder is produced in accordance with ISO 5489 and is MED approved, complying with applicable SOLAS and IMO requirements. Available in various lengths to suit vessel-specific freeboard and operational needs, the Embarkation Ladder is suitable for use on merchant vessels, offshore units and passenger ships where a certified embarkation solution is required.

Ladder type: Embarkation ladder
Construction type: Rope ladder
Step material: Hardwood
Step treatment: Heat treated
Step surface: Anti-slip
Step length: 525 mm
Step width: 120 mm
Step thickness: 28 mm
Step spacing (pitch) approx: 330 mm
Side rope material: Manila
Side rope construction: Continuous, no joints
Side rope diameter: = 20 mm
Breaking strength side rope: = 24 kN
Step fixing method: Aluminium clamping system
Bottom steps material: Hardwood
Rubber bottom steps: Yes

CERTIFICATIONS

- MED
- SOLAS
- RED ENSIGN/MER (UK Approval)

SPARE PARTS / COMPLEMENTARY GOODS

3.01.0311 MER / Red Ensign approval