

LIGHT-SMOKE SIGNAL

Wescom Signal and Rescue Germany GmbH

Wescom Group: 65-6269 Version No: 5.1.1.1 Safety Data Sheet (Conforms to Regulation (EU) No 2015/830) Issue Date: 24/09/2021 Print Date: 24/09/2021 L.REACH.GBR.EN

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1. Product Identifier

Product name	LIGHT-SMOKE SIGNAL		
Synonyms	Comet Light and smoke signal: ArtNo. 9181600, Pains Wessex Manoverboard MK9: ArtNo. 9537800		
Proper shipping name	SIGNALS, SMOKE		
Other means of identification	Not Available		

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Use according to manufacturer's directions. Sea distress signal. Compact Lifebuoy Marker is normally mounted on a ships bridge wing attached to a 4 kg lifebuoy. It is automatically or manufacturer's directions.	
Uses advised against	Not Applicable

1.3. Details of the supplier of the safety data sheet

Registered company name	Wescom Signal and Rescue Germany GmbH		
Address	fieländer Weg 147 Bremerhaven 27574 Germany		
Telephone	471 3930		
Fax	+49 471 3932 10		
Website	www.wescom-group.com		
Email	info@wescom-group.com		

1.4. Emergency telephone number

Association / Organisation	Consultant Lutz Harder GmbH	
Emergency telephone numbers	+49 178 433 7434	
Other emergency telephone numbers	Not Available	

SECTION 2 HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to regulation (EC) No 1272/2008 [CLP] [1]	H204 - Explosive Division 1.4
Legend:	1. Classified by Wescom Group; 2. Classification drawn from EC Directive 67/548/EEC - Annex I; 3. Classification drawn from EC Directive 1272/2008 - Annex VI

2.2. Label elements



Hazard pictogram(s)

SIGNAL WORD

Hazard statement(s)

H204 Fire or projection hazard.

Precautionary statement(s) Prevention

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.		
P250	Do not subject to grinding/shock/sources of friction.		
P280	Wear protective gloves/protective clothing/eye protection/face protection.		

Wescom Group: **65-6269**Version No: **5.1.1.1**

Page 2 of 10 LIGHT-SMOKE SIGNAL

Issue Date: **24/09/2021**Print Date: **24/09/2021**

P240	Ground/bond container	and receiving	equipment
P240	Ground/bond container	and receiving	equipmer

Precautionary statement(s) Response

P370+P380	In case of fire: Evacuate area.		
P372	explosion risk in case of fire.		
P374	Fight fire with normal precautions from a reasonable distance.		
P373	DO NOT fight fire when fire reaches explosives.		

Precautionary statement(s) Storage

	-	
P4	101	Store according to local regulations for explosives.

Precautionary statement(s) Disposal

P501	Dispose of contents/container in accordance with local regulations.
------	---

REACh - Art.57-59: The mixture does not contain Substances of Very High Concern (SVHC) at the SDS print date.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

3.1.Substances

See 'Composition on ingredients' in Section 3.2

3.2.Mixtures

1.CAS No 2.EC No 3.Index No 4.REACH No	%[weight]	Name	Classification according to regulation (EC) No 1272/2008 [CLP]
		device contains	
		pyrotechnic materials of;	
1.3811-04-9 2.223-289-7 3.017-004-00-3 4.01-2119494917-18-XXXX		potassium chlorate	Oxidizing Solid Category 1, Acute Toxicity (Inhalation) Category 4, Acute Toxicity (Oral) Category 4, Chronic Aquatic Hazard Category 2; H271, H332, H302, H411 [3]
1.7757-79-1 2.231-818-8 3.Not Available 4.01-2119488224-35- XXXX 01-2120104950-66-XXXX		potassium nitrate	Oxidizing Solid Category 3, Acute Toxicity (Oral) Category 4, Eye Irritation Category 2; H272, H302, H319 [1]
1.10022-31-8 2.233-020-5 3.056-002-00-7 4.01-2119986880-22-XXXX		barium nitrate	Acute Toxicity (Inhalation) Category 4, Acute Toxicity (Oral) Category 4; H332, H302 [3]
		and lithium batteries	
Legend:		by Wescom Group; 2. Ci Annex VI 4. Classificatio	lassification drawn from EC Directive 67/548/EEC - Annex I; 3. Classification drawn from EC Directive in drawn from C&L

SECTION 4 FIRST AID MEASURES

4.1. Description of first aid measures

·				
Eye Contact If this product comes in contact with eyes:				
Skin Contact	If skin contact occurs: Immediately remove all contaminated clothing, including footwear. In Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.			
Inhalation	 If fumes or combustion products are inhaled remove from contaminated area. Lay patient down. Keep warm and rested. Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures. Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform Cl necessary. Transport to hospital, or doctor, without delay. 			
Ingestion	 Not considered a normal route of entry. If swallowed do NOT induce vorniting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Seek medical advice. 			

Wescom Group: **65-6269** Version No: **5.1.1.1**

Page 3 of 10 LIGHT-SMOKE SIGNAL

Issue Date: **24/09/2021**Print Date: **24/09/2021**

4.2 Most important symptoms and effects, both acute and delayed

See Section 11

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 FIREFIGHTING MEASURES

5.1. Extinguishing media

DANGER: Deliver media remotely.

- ▶ For minor fires: Flooding quantities only.
- For large fires: Do not attempt to extinguish.

|Apply by mechanical means only.

5.2. Special hazards arising from the substrate or mixture

_	
Fire Incompatibility	Avoid contact with other chemicals.
5.3. Advice for firefighters	
Fire Fighting	WARNING: EXPLOSIVE MATERIALS / ARTICLES PRESENT! Evacuate all personnel and move upwind. Prevent re-entry. Alert Fire Brigade and tell them location and nature of hazard. May detonate and burning material may be propelled from fire. Wear full-body protective clothing with breathing apparatus. Prevent, by any means available, spillage and fire effluent from entering drains and water courses. Fight fire from safe distances and from protected locations. Use flooding quantities of water. DO NOT approach containers or packages suspected to be hot. Cool any exposed containers not involved in fire from a protected location. Equipment should be thoroughly decontaminated after use. Slight hazard when exposed to heat, flame and oxidisers.
Fire/Explosion Hazard	Division 1.4 Substances, mixtures and articles which present no significant hazard: substances, mixtures and articles which present only a small hazard in the event of ignition or initiation. The effects are largely confined to the package and no projection of fragments of appreciable size or range is to be expected. An external fire shall not cause virtually instantaneous explosion of almost the entire contents of the package.

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

See section 8

6.2. Environmental precautions

See section 12

6.3. Methods and material for containment and cleaning up

Minor Spills	WARNING!: EXPLOSIVE. BLAST and/or PROJECTION and/or FIRE HAZARD Lean up all spills immediately. Avoid inhalation of the material and avoid contact with eyes and skin. Wear impervious gloves and safety glasses. Remove all ignition sources. Use spark-free tools when handling. Sweep into non-sparking containers or barrels and moisten with water. Place spilled material in clean, sealable, labelled container for disposal. Flush area with large amounts of water.
Major Spills	WARNING! EXPLOSIVE. Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. May be violently or explosively reactive. Wear full body protective clothing with breathing apparatus. Consider evacuation (or protect in place). In case of transport accident notify Police, Emergency Authority, Competent Explosives Authority or Manufacturer. No smoking, naked lights, heat or ignition sources. Increase ventilation. Use extreme caution to prevent physical shock. Use only spark-free shovels and explosion-proof equipment. Collect recoverable material and segregate from spilled material. Wash spill area with large quantities of water.

6.4. Reference to other sections

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 HANDLING AND STORAGE

7.1. Precautions for safe handling

Handle gently. Use good occupational work practice.

Safe handling

■ Observe manufacturer's storage and handling recommendations contained within this SDS.

Wescom Group: 65-6269 Page 4 of 10 Issue Date: 24/09/2021 Version No: 5.1.1.1 Print Date: 24/09/2021

LIGHT-SMOKE SIGNAL

Avoid all personal contact, including inhalation. Avoid smoking, naked lights, heat or ignition sources ■ Explosives must not be struck with metal implements. ■ Avoid mechanical and thermal shock and friction. ■ Use in a well ventilated area. Avoid contact with incompatible materials. ■ When handling **DO NOT** eat, drink or smoke. Avoid physical damage to containers. ■ Always wash hands with soap and water after handling. Work clothes should be laundered separately. Fire and explosion protection See section 5 ■ Store cases in a well ventilated magazine licensed for the appropriate Class, Division and Compatibility Group. Rotate stock to prevent ageing. Use on FIFO (first in-first out) basis. ■ Observe manufacturer's storage and handling recommendations contained within this SDS. ■ Store in a cool place in original containers. Keep containers securely sealed. ■ No smoking, naked lights, heat or ignition sources. ■ Store in an isolated area away from other materials. Other information ■ Keep storage area free of debris, waste and combustibles. ■ Protect containers against physical damage. ■ Check regularly for spills and leaks NOTE: If explosives need to be destroyed contact the Competent Authority. Store away from incompatible materials.

7.2. Conditions for safe storage, including any incompatibilities

Keep out of reach of children.

Suitable container	 All packaging for Class 1 Goods shall be in accordance with the requirements of the relevant Code for the transport of Dangerous Goods. Class 1 is unique in that the type of packaging used frequently has a very decisive effect on the hazard and therefore on the assignment to a particular division
Storage incompatibility	 Avoid contact with other explosives, pyrotechnics, solvents, adhesives, paints, cleaners and unauthorized metals, plastics, packing equipment and materials. Avoid contamination with acids, alkalis, reducing agents, amines and phosphorus. Explosion hazard may follow contact with incompatible materials

7.3. Specific end use(s)

See section 1.2

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Control parameters

DERIVED NO EFFECT LEVEL (DNEL)

Not Available

PREDICTED NO EFFECT LEVEL (PNEC)

Not Available

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
UK Workplace Exposure Limits (WELs)	barium nitrate	Barium compounds, soluble (as Ba)	0.5 mg/m3	Not Available	Not Available	Not Available
European Union (EU) Commission Directive 2006/15/EC establishing a second list of indicative occupational exposure limit values (IOELVs)	barium nitrate	Barium (soluble compounds as Ba)	0,5 mg/m3	Not Available	Not Available	Not Available
EU Consolidated List of Indicative Occupational Exposure Limit Values (IOELVs)	barium nitrate	Barium (soluble compounds as Ba)	0.5 mg/m3	Not Available	Not Available	Not Available

EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
potassium chlorate	Potassium chlorate	5.6 mg/m3	62 mg/m3	370 mg/m3
potassium nitrate	Potassium nitrate	9 mg/m3	100 mg/m3	600 mg/m3
barium nitrate	Barium nitrate	2.9 mg/m3	350 mg/m3	2,100 mg/m3

Ingredient	Original IDLH	Revised IDLH
potassium chlorate	Not Available	Not Available
potassium nitrate	Not Available	Not Available
barium nitrate	50 mg/m3	Not Available


MATERIAL DATA

8.2. Exposure controls

8.2.1. Appropriate engineering Engineering controls for explosive articles are designed to reduce or eliminate fragmentation and/or blast effects either by suppression of the source of

LIGHT-SMOKE SIGNAL

Issue Date: **24/09/2021**Print Date: **24/09/2021**



Respiratory protection

Respiratory protection not normally required due to the physical form of the product.

8.2.3. Environmental exposure controls

See section 12

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	Orange/yellow outer metal casing pressed with black/grey Pyrotechnical ingredients.			
Physical state	Manufactured	Relative density (Water = 1)	Not Applicable	
Odour	Not Available	Partition coefficient n-octanol / water	Not Available	
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available	
pH (as supplied)	Not Applicable	Decomposition temperature	>160	
Melting point / freezing point (°C)	Not Applicable	Viscosity (cSt)	Not Applicable	
Initial boiling point and boiling range (°C)	Not Applicable	Molecular weight (g/mol)	Not Applicable	
Flash point (°C)	160	Taste	Not Available	
Evaporation rate	Not Applicable	Explosive properties	Not Available	
Flammability	Not Applicable	Oxidising properties	Not Available	
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Applicable	
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Applicable	
Vapour pressure (kPa)	Not Applicable	Gas group	Not Available	
Solubility in water (g/L)	Immiscible	pH as a solution (1%)	Not Applicable	
Vapour density (Air = 1)	Not Applicable	VOC g/L	Not Applicable	

9.2. Other information

Not Available

SECTION 10 STABILITY AND REACTIVITY

10.1.Reactivity	See section 7.2
10.2. Chemical stability	Presence of shock and friction Presence of heat source and ignition source Product is considered stable under normal handling conditions. Stable under normal storage conditions. Hazardous polymerization will not occur. Avoid contact with other chemicals.
10.3. Possibility of hazardous reactions	See section 7.2
10.4. Conditions to avoid	See section 7.2

LIGHT-SMOKE SIGNAL

Issue Date: 24/09/2021 Print Date: 24/09/2021

10.5. Incompatible materials	See section 7.2
10.6. Hazardous decomposition products	See section 5.3

SECTION 11 TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Inhaled	Not normally a hazard due to physical form of product. Inhalation of vapour is more likely at higher than normal temperatures. The vapour is discomforting			
Ingestion	Not normally a hazard due to physical form of product. Considered an unlikely route of entry in commercial/industrial environments			
Skin Contact	Not normally a hazard due to physical form of product. The vapour is discomforting			
Eye	Not normally a hazard due to physical form of product. The vapour is discomforting			
Chronic	■ Generally not applicable.			
	TOXICITY	IRRITATION		
LIGHT-SMOKE SIGNAL	Not Available	Not Available		
	Not Available	Not Available		
	TOXICITY	IRRITATION		
potassium chlorate	dermal (rat) LD50: >2000 mg/kg ^[1]	Not Available		
	Oral (rat) LD50: 1870 mg/kg ^[2]			
	TOXICITY	IRRITATION		
potassium nitrate	dermal (rat) LD50: >5000 mg/kg ^[1]	Not Available		
	Oral (rat) LD50: >2000 mg/kg ^[1]			
	TOXICITY	IRRITATION		
barium nitrate	Oral (rat) LD50: 355 mg/kg ^[2]	Eye (rabbit):100 mg/24h - moderate		
		Skin (rabbit): 500 mg/24h - mild		
Legend:	Value obtained from Europe ECHA Registered Substances - Acute toxic data extracted from RTECS - Register of Toxic Effect of chemical Substan	ity 2.* Value obtained from manufacturer's SDS. Unless otherwise specified ces		
BARIUM NITRATE	, , , , ,	Repeated or prolonged exposure to irritants may produce conjunctivitis. re and may produce a contact dermatitis (nonallergic). This form of dermatitis is listologically there may be intercellular oedema of the spongy layer (spongiosis)		

and intracellular oedema of the epidermis.

Acute Toxicity	0	Carcinogenicity	0
Skin Irritation/Corrosion	0	Reproductivity	0
Serious Eye Damage/Irritation	0	STOT - Single Exposure	0
Respiratory or Skin sensitisation	0	STOT - Repeated Exposure	0
Mutagenicity	0	Aspiration Hazard	0

Legend:

— Data available but does not fill the criteria for classification

Data available to make classification

Not Available to make classification

SECTION 12 ECOLOGICAL INFORMATION

12.1. Toxicity

12.1. TOXICITY					
LIGHT-SMOKE SIGNAL	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	Not Available	Not Available	Not Available	Not Available	Not Available
	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	=13000mg/L	1
potassium chlorate	EC50	72	Algae or other aquatic plants	1.9mg/L	4
	NOEC	72	Algae or other aquatic plants	<0.5mg/L	4
potassium nitrate	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	22.5mg/L	4

Page **7** of **10**

LIGHT-SMOKE SIGNAL

Issue Date: **24/09/2021**Print Date: **24/09/2021**

barium nitrate

END	POINT TES	T DURATION (HR)	SPECIES	VALUE	SOURCE
LC5	96		Fish	>3.5mg/L	2
EC5	72		Algae or other aquatic plants	>1.92mg/L	2
NOE	C 72	1	Algae or other aquatic plants	>=1.92mg/L	2

Legend:

Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 (QSAR) - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

12.2. Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
potassium chlorate	HIGH	HIGH
potassium nitrate	LOW	LOW

12.3. Bioaccumulative potential

Ingredient	Bioaccumulation
potassium chlorate	LOW (LogKOW = -4.6296)
potassium nitrate	LOW (LogKOW = 0.209)

12.4. Mobility in soil

Ingredient	Mobility
potassium chlorate	LOW (KOC = 35.04)
potassium nitrate	LOW (KOC = 14.3)

12.5.Results of PBT and vPvB assessment

	P	В	Т
Relevant available data	Not Available	Not Available	Not Available
PBT Criteria fulfilled?	Not Available	Not Available	Not Available

12.6. Other adverse effects

No data available

SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Product / Packaging disposal	 Explosives must not be thrown away, buried, discarded or placed with garbage. Explosives which are surplus, deteriorated or considered unsafe for transport, storage or use shall be destroyed and the statutory authorities shall be notified. This material may be disposed of by burning or detonation but the operation may only be performed under the control of a person trained in the safe destruction of explosives. Refer to local Waste Disposal Authority and supplier for suitable disposal procedure.
Waste treatment options	Not Available
Sewage disposal options	Not Available

SECTION 14 TRANSPORT INFORMATION

Labels Required

	1.4 s
Marine Pollutant	NO
HAZCHEM	1YE
Land transport (ADR)	
14.1.UN number	0507
14.2.UN proper shipping name	SIGNALS, SMOKE

14.2.UN proper shipping name	SIGNALS, SMOKE	
14.3. Transport hazard class(es)	Class 1.4S Subrisk Not Applicable	
14.4.Packing group	Not Applicable	
14.5.Environmental hazard	al hazard Not Applicable	

. 3. . . .

Issue Date: **24/09/2021**Print Date: **24/09/2021**

LIGHT-SMOKE SIGNAL

14.6. Special	precautions for
	user

Hazard identification (Kemler)	Not Applicable
Classification code	1.4S
Hazard Label	1.4
Special provisions	Not Applicable
Limited quantity	0

Air transport (ICAO-IATA / DGR)

14.1. UN number	0507		
14.2. UN proper shipping name	Signals, smoke		
	ICAO/IATA Class	1.4S	
14.3. Transport hazard class(es)	ICAO / IATA Subrisk	Not Applicable	
	ERG Code	3L	
14.4. Packing group	Not Applicable		
14.5. Environmental hazard	Not Applicable		
	Special provisions		Not Applicable
	Cargo Only Packing Ir	nstructions	135
	Cargo Only Maximum	Qty / Pack	100 kg
14.6. Special precautions for user	Passenger and Cargo	Packing Instructions	135
usci	Passenger and Cargo	Maximum Qty / Pack	25 kg
	Passenger and Cargo	Limited Quantity Packing Instructions	Forbidden
	Passangar and Cargo	Limited Maximum Qty / Pack	Forbidden

Sea transport (IMDG-Code / GGVSee)

Sea transport (IMDG-Code / GGVSee)			
14.1. UN number	0507		
14.2. UN proper shipping name	SIGNALS, SMOKE		
14.3. Transport hazard class(es)	IMDG Class 1.4S IMDG Subrisk Not Applicable		
14.4. Packing group	Not Applicable		
14.5. Environmental hazard	Not Applicable		
14.6. Special precautions for user	EMS Number F-B , S-X Special provisions Not Applicable Limited Quantities 0		

Inland waterways transport (ADN)

14.1. UN number	0507		
14.2. UN proper shipping name	SIGNALS, SMOKE		
14.3. Transport hazard class(es)	1.4S Not Applicable		
14.4. Packing group	Not Applicable		
14.5. Environmental hazard	Not Applicable		
	Classification code	1.4S	
	Special provisions	Not Applicable	
14.6. Special precautions for user	Limited quantity	0	
	Equipment required	PP	
	Fire cones number	0	

14.7. Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

SECTION 15 REGULATORY INFORMATION

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

POTASSIUM CHLORATE(3811-04-9) IS FOUND ON THE FOLLOWING REGULATORY LISTS

European Customs Inventory of Chemical Substances ECICS (English)

European Union - European Inventory of Existing Commercial Chemical Substances (EINECS)
(English)

European Union (EU) Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures - Annex VI

Page 9 of 10

LIGHT-SMOKE SIGNAL

Issue Date: **24/09/2021** Print Date: **24/09/2021**

European Customs Inventory of Chemical Substances ECICS (English)

European Union - European Inventory of Existing Commercial Chemical Substances (EINECS) (English)

BARIUM NITRATE(10022-31-8) IS FOUND ON THE FOLLOWING REGULATORY LISTS

EU Consolidated List of Indicative Occupational Exposure Limit Values (IOELVs) European Customs Inventory of Chemical Substances ECICS (English)

European Union - European Inventory of Existing Commercial Chemical Substances (EINECS) (English)

European Union (EU) Commission Directive 2006/15/EC establishing a second list of indicative occupational exposure limit values (IOELVs) (Spanish)

European Union (EU) Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures - Annex VI

UK Workplace Exposure Limits (WELs)

This safety data sheet is in compliance with the following EU legislation and its adaptations - as far as applicable -: 98/24/EC, 92/85/EC, 94/33/EC, 91/689/EEC, 1999/13/EC, Commission Regulation (EU) 2015/830, Regulation (EC) No 1272/2008 and their amendments

15.2. Chemical safety assessment

For further information please look at the Chemical Safety Assessment and Exposure Scenarios prepared by your Supply Chain if available.

ECHA SUMMARY

Ingredient	CAS number	Index No	ECHA Dossier	
potassium chlorate	3811-04-9	017-004-00-3	01-2119494917-18-XXXX	
Harmonisation (C&L	Hazard Class and Catagory Code(a)	1	Pictograms Signal Word	Hazard Statement Code(s)

Harmonisation (C&L Inventory)	Hazard Class and Category Code(s)	Pictograms Signal Word Code(s)	Hazard Statement Code(s)
1	Ox. Sol. 1, Acute Tox. 4, Aquatic Chronic 2	GHS09, GHS03, GHS07, Dgr	H271, H302, H332, H411
2	Ox. Sol. 1, Acute Tox. 4, Aquatic Chronic 2, Ox. Sol. 2, STOT SE 2, Aquatic Chronic 3	GHS09, GHS03, GHS07, Dgr	H271, H302, H332, H411, H371

Harmonisation Code 1 = The most prevalent classification. Harmonisation Code 2 = The most severe classification.

Ingredient	CAS number	Index No	ECHA Dossier
potassium nitrate	7757-79-1	Not Available	01-2119488224-35-XXXX, 01-2120104950-66-XXXX

Harmonisation (C&L Inventory)	Hazard Class and Category Code(s)	Pictograms Signal Word Code(s)	Hazard Statement Code(s)
1	Ox. Sol. 2, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3	GHS03, GHS07, Dgr	H272, H315, H319, H335
2	Ox. Sol. 3, Ox. Sol. 2, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3, Ox. Sol. 1, Aquatic Chronic 3, Ox. Liq. 3, Acute Tox. 4, Repr. 2, STOT SE 2, STOT RE 2, Ox. Liq. 2, Ox. Liq. 1	GHS03, Dgr, GHS08	H315, H319, H335, H271, H412, H302, H361, H371, H373

Harmonisation Code 1 = The most prevalent classification. Harmonisation Code 2 = The most severe classification.

Ingredient	CAS number	Index No	ECHA Dossier
barium nitrate	10022-31-8	056-002-00-7	01-2119986880-22-XXXX

Harmonisation (C&L Inventory)	Hazard Class and Category Code(s)	Pictograms Signal Word Code(s)	Hazard Statement Code(s)
1	Ox. Sol. 2, Acute Tox. 4	GHS03, GHS07, Dgr	H272, H302, H332
2	Ox. Sol. 2, Acute Tox. 3, Eye Irrit. 2, Acute Tox. 4, Ox. Liq. 2	GHS03, GHS06, Dgr	H272, H301, H319, H332, H312

Harmonisation Code 1 = The most prevalent classification. Harmonisation Code 2 = The most severe classification.

National Inventory	Status
Australia - AICS	Y
Canada - DSL	Y
Canada - NDSL	N (barium nitrate; potassium chlorate; potassium nitrate)
China - IECSC	Υ
Europe - EINEC / ELINCS / NLP	Y
Japan - ENCS	Y
Korea - KECI	Y
New Zealand - NZIoC	Y
Philippines - PICCS	Υ
USA - TSCA	Y
Legend:	Y = All ingredients are on the inventory N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

SECTION 16 OTHER INFORMATION

Full text Risk and Hazard codes

H271	May cause fire or explosion; strong oxidiser.
H272	May intensify fire; oxidiser.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.

Wescom Group: 65-6269 Page 10 of 10 Issue Date: 24/09/2021 Version No: 5.1.1.1 Print Date: 24/09/2021

LIGHT-SMOKE SIGNAL

H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H361	Suspected of damaging fertility or the unborn child.
H371	May cause damage to organs.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Other information

Ingredients with multiple cas numbers

Name	CAS No
barium nitrate	10022-31-8, 34053-87-7

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Wescom Group Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

For detailed advice on Personal Protective Equipment, refer to the following EU CEN Standards:

EN 166 Personal eye-protection

EN 340 Protective clothing

EN 374 Protective gloves against chemicals and micro-organisms

EN 13832 Footwear protecting against chemicals

EN 133 Respiratory protective devices

Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit。

IDLH: Immediately Dangerous to Life or Health Concentrations

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors BEI: Biological Exposure Index